

Designed by Travis Seward for Greenville MODERN QUILT GUILD

March 2019 Block of the Month

@travlis @GreenvilleMQG #licensedtoquilt

City Block





You will need:

Fabric 1 background

Cut (1) 4 ½" x 4 ½" (A)

Cut (2) 4 %" x 6" (B) & (D)

Cut (1) 5½" x 5½" (C)

Fabric 2

Cut (2) 4 %" x 6" (F) & (H)

Fabric 3

Cut (1) 4 ½" x 4 ½" (E)

Fabric 4

Cut (1) 5½" x 5½" (G)

General Pattern Notes

- 1. The block will measure 9 ½ inches (9 inches finished in the quilt top).
- 2. Sew all seams with a scant ¼ inch seam allowance.

Use of Directional Fabrics

The instructions for the Intersection block were written for non-directional prints. If you choose to use directional prints for any of the fabrics, you may need to alter the cutting instructions to maintain the directionality of the fabric(s) within the block.

[&]quot;...continual newness of life – the beautiful messiness of it all." ~Alison Glass © 2019 Travis Seward

Designed by Travis Seward for Greenville MODERN QUILT GUILD


March 2019 Block of the Month

@travlis @GreenvilleMQG #licensedtoquilt

Block Construction

AE Unit

- 1. Piece A on the wrong side of the fabric, mark the diagonal from corner to corner. (fig. a)
- 2. Place A on top of E with right sides together. Sew on the diagonal line.
- 3. Press to set the seam. Fold piece A on top of itself and press carefully to prevent distorting the fabric on the diagonal. (fig. b) Note: The raw edges of piece A should match. (fig. c)
- 4. Trim the seam allowance to ¼". (fig. d) The finished AE unit will measure 4 ½" x 4 ½". (fig. e)



GC Unit

Repeat AE unit instructions steps 1-4 using pieces C and G. The finished GC unit will measure 5 %" x 5 %".

DH and BF Units

1. Cut pieces B, D, F, and H

Piece B – cut on the diagonal from top left corner to bottom right corner.

Piece D – cut the diagonal from bottom left corner to top right corner.

Piece F – cut on the diagonal from top left corner to bottom right corner.


Piece H – cut on the diagonal from bottom left corner to top right corner.


[&]quot;...continual newness of life – the beautiful messiness of it all." ~Alison Glass © 2019 Travis Seward


Designed by Travis Seward for


March 2019 Block of the Month

@travlis @GreenvilleMQG #licensedtoquilt











- 2. Place cut triangle pieces D and H to form a rectangle. (fig. f)
- 3. Place D on top of H with right sides together, making sure to match the corners of D and H so that the pieces line up perfectly. (fig. g) Note: When the diagonal cut side is aligned correctly, a small triangle of the H piece will extend beneath the D piece (shown by arrow).
- 4. Sew triangles together to make a DH unit. Press to set the seam. Open the unit and press without distorting the fabric on the diagonal.





g.

5. Trim the DH unit by removing the wings and a very slight bit off each end to make sure that the finished unit is 4 ½" x 5 ½".

Note: When trimming you should be removing a very small bit off each end. You want to make sure the diagonal sewn line extends to the corner of your unit.

To do this accurately place your ruler on the unit making sure to note the placement of points along the top, bottom, left and right sides of the block.

A. Align the **top** of your ruler with the top of your block.


[&]quot;...continual newness of life – the beautiful messiness of it all." ~Alison Glass © 2019 Travis Seward


Designed by Travis Seward for Greenville MODERN QUILT GUILD

March 2019 Block of the Month

@travlis @GreenvilleMQG #licensedtoquilt

- B. The 4 ½" line on your ruler should also align with the **bottom** of your unit.
- C. Slide the ruler left to right and make sure the 4 ½" mark is exactly on top of the sewn diagonal line at the bottom **Left** and the 5 ½" mark is on top of that line on the top **Right**.





5. Repeat steps 2-4 using pieces B and F to make a BF unit.

Block Assembly


- 1. Sew the AE unit to the DH unit. Press the seam allowance towards the DH unit. (fig. h)
- 2. Sew the BF unit to the CG unit. Press the seam allowance towards the BF unit. (fig. i)
- 3. Nest the center seams of the combined units and pin. Sew combined units together. Press the seam open or toward the BF and CG units. (fig. j)
- 4. The block will measure 9 ½" x 9 ½" (9" x 9" finished in the guilt top). (fig. k)

[&]quot;...continual newness of life – the beautiful messiness of it all." ~Alison Glass © 2019 Travis Seward


Designed by Travis Seward for Greenville MODERN QUILT GUILD

March 2019 Block of the Month

@travlis @GreenvilleMQG #licensedtoquilt



Coloring Page



[&]quot;...continual newness of life – the beautiful messiness of it all." ~Alison Glass © 2019 Travis Seward

Designed by Travis Seward for Greenville MODERN QUILT GUILD

March 2019 Block of the Month

@travlis @GreenvilleMQG #licensedtoquilt

Quilt Layout

Block placement in final quilt layout.

Option 1.

Option 2.



[&]quot;...continual newness of life – the beautiful messiness of it all." ~Alison Glass © 2019 Travis Seward